



#### I. GENERAL INFORMATION

Viva Classic Plank floor covering should be stored and installed in a climate controlled location with an average temperature ranging between 13°-29°C. Post installation temperature range should not exceed 0°-37°C. Always store Viva Classic plank panels on a flat level substrate to minimize plank distortion.

To minimize shade variation, mix and install planks from several cartons. Inspect all planks for damage before installing. If you have any concerns about the product fit or finish, call the retailer with who you purchased the flooring, prior to installation. Claims will not be accepted for flooring that has been cut to size and/or installed.

Tools: Tape Measure, Utility Knife, Jigsaw/ flooring guillotine, Tapping Block or Rubber Mallet, Pull Bar, Spacers, Safety Glasses, Broom or Vacuum and, if necessary, tools for subfloor repair.

## **II. SUBFLOOR INFORMATION**

All subfloors must be clean, flat, dry and structurally sound. The correct preparation of the subfloor is a major part of a successful installation. Any variation in height greater than 2mm over a running 1 meter needs to be levelled.

Underlay – Viva Classic Plank comes with an integrated underlay, as such no underlay is required.

## **Concrete Subfloors**

Floors shall be smooth, permanently dry, clean, and free all foreign material such as dust, wax, solvents, paint, grease, oils, and old adhesive residue. The surface must be hard and dense, and free from powder or flaking.


A new concrete floor must be dry at least 1 week per cm in thickness. Slabs over 4 cm should double the drying time. That is a 4cm slab should be dry for 8 weeks.


Do no install over concrete with a history of high moisture or hydrostatic conditions. The final responsibility for determining if the concrete is dry enough for installation of the flooring lies with the floor covering installer.

Never use solvents or citrus adhesive removers to remove old adhesive residue. Solvent residue left in and on the subfloor may affect the new floor covering.

#### **III. INSTALLATION**


Floating Installation Only. Viva Classic Hybrid Plank is designed to be installed utilizing the floating method. Never secure Viva Classic Plank directly to the subfloor. Do not install cabinets or fixed objects on top of the flooring.






Install the first plank with spacers packed between the plank and the wall. Ensure the expansion gap is 10-15mm.


Use a soft rubber hammer to ensure the drop lock profile is properly engaged prior to installing the next plank.




Continue this process until the wall is reached.



The offcut from the first row can be used as the first piece of flooring for the next row. Please ensure the 10 - 15mm gap is maintained throughout the installation and ensure that the stager between rows is at least 15cm.



Click the second and remaining rows together rotating the boards horizontally at an angle of 20–30 Degrees. Gently tap the end joints into place using your rubber mallet. Ensure joints are staggered by at least 15cm.



Make sure that the width of the last row is at least 5cm, and ensure that the gap around the perimeter of the floor remains at 10 - 15mm.

In rooms where the flooring is longer than 12m, and where widths exceed 8m, the use of an expansion joint is required. Always remember to use expansion joints (e.g. at doorways) throughout the flooring installation, particularly between rooms.

Fill expansion gaps with use of a suitable profile or skirting. Never glue profiles to the flooring itself, you must maintain free expansion around the perimeter of Balmain Oak Flooring.

Once you've completed your Viva Classic Plank installation it is immediately ready to walk on.

Protect the finished flooring from exposure to direct sunlight to reduce fading and thermal expansion.

# **General maintenance:**

It is important that the floors room temperature and humidity levels are kept stable throughout its life in your house. The ideal temperature for Viva Classic Plank is between 18-20°C, with a relative humidity of 45–60%. Maintaining a well-ventilated environment, are key in maintaining your Viva Classic Plank.

In Winter months for example if the humidity (RH) in a heated room goes below the specified 45% this may result in plank changes. As such, you should install an Air Humidifier to prevent damage to your floor, also maintaining that the surface temperature remains between 18-20°C, but never exceeding 27°C.

Viva Classic Plank is not designed to be exposed to extremes of humidity or temperature. It is important to note that floors exposed to such conditions may fail. Sensible protection of the flooring from such extremes, particularly in unoccupied homes, must be afforded. Measures can include curtains, awning, blinds, window tinting, and early commissioning and/or regular use of air conditioning or humidity control devices. Protection of the flooring from any radiant heat source should also be provided, eg: around combustion heaters and other heaters, as these generate extreme low humidity. Viva Classic Plank should not be installed until these measures are in place, and should not be installed more than 2 weeks prior to occupation of the floor is exposed to extreme conditions. The same may also apply to Airconditioned rooms.

A dry/damp maintenance regime is generally recommended for your Viva Classic Plank flooring. This includes the use of vacuum cleaners and regular sweeping. Use of dirt trapping mats at doorways are also recommended in reducing any abrasive wear, associated with foot traffic.

Always protect your floor by use of floor protectors under tables and chairs.

Viva Classic Plank flooring is affected by natural and artificial U.V. light. Continued exposure will cause colour change in your flooring.

Disclaimer: Floor Distributors has used its reasonable endeavours to ensure the accuracy and reliability of the information contained herein and, to the extent permitted by law, will not be liable for any inaccuracies, omissions or errors in this information nor for any actions taken in reliance on this information. Products must be installed in accordance with relevant installation recommendations and industry best practices.